

icgene
mini

LAB BEYOND

IDENTIFISH SALMONE (SALMON)



IDENTIFISH SALMONE (SALMON)

Cat. No. EBT 405_48 48 tests

KIT REAGENTS AND COMPONENTS – Kit consists of the following ready-to-use reagents:

Extraction buffer	yellow cap bottles containing extraction buffer
Primer mix	primers specific for detection of <i>Salmo salar</i> tube's strip
LAMP mix	green cap tube containing a mix including enzyme and buffer
Mineral oil	blue cap tube containing mineral oil
Positive control	red cap tube ready-to-use for LAMP reaction
Negative control	white cap tube containing extraction buffer
Sterile Water	clear cap vial containing sterile water
<i>IdentiFish Salmone</i> badge	Contactless badge for identification of the kit containing information relating to lot number, expiration date and provides the parameters associated with the kit

KIT FEATURES

- Ready-to-use system for total nucleic acid extraction in only few minutes without sophisticated laboratory equipment
- Ready-to-use reagents reduce the risks related to environmental contamination or human error
- Speed and easiness of the test (about 60 minutes)
- Useful for testing food matrices
- Possibility of performing genetic tests directly in the field
- All reagents are stable at room temperature for the shipment/transport, however they should be stored at 4°C

Specific kit for rapid detection of *Salmo salar* from food matrices.

The kit *IdentiFish Salmone* is designed for rapid nucleic acid extraction and amplification by LAMP technology using the ICGENE MINI device (Enbitech Cat. No. EBT405). The kit has been tested for detection of *Salmo salar*.

ANALYTICAL PROCEDURE – ICGENE Mini performs 3 steps:

1. { Nucleic acid extraction
2. { Gene amplification
3. { Interpretation of results

After DNA extraction (in few minutes), samples can be processed by LAMP amplification. For each sample, Primer mix tubes are used dispensing the recommended aliquots of the extracted DNA, LAMP mix, and mineral oil, as specified in the kit manual.

By placing the kit's badge near to the ICGENE MINI device, the system recognizes the kit through radio-frequency identification (RFID) technology and performs the analyses specifically designed for *Salmo salar* detection.

RESULTS INTERPRETATION

ICGENE MINI system performs automatic interpretation of the results. Data are displayed on an Android tablet connected to ICGENE MINI, through which it is possible to control the analytical steps and manage the results. A sigmoid curve indicates a positive sample, whereas a straight line indicates a negative sample for *Salmo salar*. On the left of the tablet screen, a "+" symbol appears next to the sample's name in case it is positive. The analysis results are synchronized with the ICGENE portal server where they can be browsed using its web app.

PERFORMANCE CRITERIA

Stability: The kit is stable at room temperature during transportation. Upon arrival, the kit must be stored at 4°C. Following the strict storage parameters the kit is stable for 1 year.



Exclusive Distributor
Avantech Group s.r.l.
Via M. Salernitano, 28 - Angri (SA)
T +39 081-5132163
avantech.it – info@avantech.it



Enbitech s.r.l.
Via Quarto dei Mille – 90129 Palermo, Italy
T +39 091 7742610
enbitech.eu – info@enbitech.eu